

$3 \begin{array}{|c|} \hline 21 \\ \hline \end{array} 63$

I know that $63 \div 3 = 21$, so $63 \div 21 = 3$, and $21 \times 3 = 63$, so $3 \times 21 = 63$.

Concrete to pictorial: counting in 10s

Wandsworth LA

Calculation Policy

Revised & updated January 2016



Bridging across 10

$3 + 8 = 3 + 7 + 1$
 $8 + 3 = 8 + 2 + 1$

4 groups of 2p
2p multiplied by 4
 $2p \times 4 = 8p$

$30 + 3$

6

Remainder 2

Wandsworth LA Calculation Policy document written by **Nicki Ashton & Catherine Brown**, Primary Teaching & Learning Consultants (Mathematics).

Acknowledgements

With thanks to the contributions from the Wandsworth Primary Curriculum Development Group:

Amelia Alcock	Albemarle Primary School
Michael Foyn	Allfarthing Primary School
Annie Ball	Brandlehow Primary School
Alex Smeed	Eardley Primary School
Tom Oakley	Earlsfield Primary School
Vivienne Dompreeh	Franciscan Primary School
Hattie Elwes	Holy Ghost Primary School
Mary-Rose McKenna	Holy Ghost Primary School
Joanne Clark	Honeywell Infant School
Eimear Burke	Our Lady Queen of Heaven Primary School
Taryn Black	Riversdale Primary School
Kelly Ranford	Sacred Heart (Roe) RC Primary School
Lisa Platts	St Boniface Primary School
Simon Gallant	The Alton Primary School

Wandsworth LA Calculation Policy for addition: Year 1

Mental Calculations

- Read, write and interpret mathematical statements using symbols +, -, =
- Represent and use number bonds and related addition facts within 20
- Add one digit and two-digit numbers up to 20, including zero.
- Solve one-step problems using concrete objects and pictorial representations, and missing number problems such as $7 = \square - 9$
- Given a number, identify (and use the language) one more

6663
6663 6

Written Calculations

- Begin to compare (what's the same/different?) for commutative sums e.g. $3 + 7 = 7 + 3$
- Understand 'part whole' models (see below) to identify the numbers 'hidden' within a number
- Use knowledge of 'part whole' to bridge across 10.
- Memorise and reason with number bonds to 10 & 20 in several forms
- Add using objects, Numicon, cubes etc and number lines and tracks
- Check with everyday objects
- Teach equality and inequality alongside each other
- Ensure pre-calculation steps are understood, including:
 - Counting objects (including solving simple concrete problems)
 - Conservation of number:
 - Recognise place value in numbers beyond 20
 - Counting as reciting and as enumerating


$$6 + 4 = 7 + \square$$

$$13 + 4 = 10 + \square$$





Representations to support mental and written calculations.

Use a range of concrete and pictorial representations, including:




Using concrete and visual representations to show that 5 is greater than 2. Balance scales can help too.




'Part whole' Making connections between models to help children understand the same maths represented in different ways.


<p>6 + 4 = 10 4 + 6 = 10 10 - 4 = 6 10 - 6 = 4</p> <p>Tens Frame</p>	<p>6 + 4 = 10 4 + 6 = 10 10 - 4 = 6 10 - 6 = 4</p> <p>Part Whole Model</p>	<p>6 + 4 = 10 4 + 6 = 10 10 - 4 = 6 10 - 6 = 4</p> <p>Bar Model</p>
--	--	---



Bead strings




Shanghai Textbook Grade 1 (aged 6/7)




Can you see a pattern with the number bonds for 5?

Staircase:

Can you see the numbers 'hidden' in each step? e.g. 2 + 7 inside 9



Bridging across 10




Children can explore this using multilink, Dienes, coins and bead strings etc



Number tracks



Number lines



Real everyday objects

Links from other strands

- Combine and increase numbers, counting forwards and backwards.
- Develop the concept of addition and subtraction and ... use these operations flexibly.
- Discuss and solve problems in familiar practical contexts, including using quantities
- Compare, describe and solve practical [measure] problems e.g. longer, more than, heavier than
- Problems terminology should include: put together, add, altogether, total, take away, distance between, difference between, more than and less than.

Wandsworth LA Calculation Policy for addition: Year 2

Mental Calculations

Add numbers using concrete objects, pictorial representations, and mentally, including:

- a two-digit number and ones
- a two-digit number and tens
- two two-digit numbers
- adding three one-digit numbers

Written Calculations

- Recall and use addition and subtraction facts to 20 facts fluently, and derive and use related facts up to 100
- Demonstrate the commutative law of addition
- Re-partition numbers eg. 65 (across page)
- Bridge across tens using knowledge of 'part whole'
- Use a hundred square
- Check calculations using inverse and by adding numbers in different order
- Begin to record addition in columns to support place value and prepare for formal written methods with larger numbers

$12 + 30 = 30 + 12$	$\square + 25 = 25 + 41$	$30 + 4$	$65 = 60 + 5$
$17 + 2 = 19$	$12 + 4 = 16$	$20 + 5$	$65 = 50 + 15$
$57 + 2 = 59$	$32 + 34 = 66$	$50 + 9$	$65 = 40 + 25$
			$65 = 30 + 35$
			$65 = 20 + 45$
			$65 = 10 + 55$

Representations to support mental and written calculations.

Use a range of concrete and pictorial representations, including:

Teaching equality/inequality:
Use examples that children can reason about without the need to calculate e.g.
 $5 + 7 \square 5 + 6$
True or false? $4 + 6 + 8 > 3 + 7 + 9$

Unitising in 10s

$60 + 2 = 62$
 $62 + 2 = \square$
 $62 + 12 = \square$
 $62 + 22 = \square$

$62 + \square = 94$

94
 $62 + 30 + 2$
 $62 + 32$

Use questioning to develop reasoning e.g.
What's the same? what different?

$23 + 10$	$23 + 20$	$23 + 30$	$23 + 40$
-----------	-----------	-----------	-----------

How can I use a 100 square to add $32 + 22$?

Number tracks

e.g. $34 + 23 = 57$

Bridging across tens

$26 + 28:$

- $26 + 4 + 24 = 30 + 24 = 54$

Compensating using balance:

$26 + 28$
 -2 $+2$
 $24 + 30 = 54$

Cuisenaire is a useful concrete resource that develops understanding of the pictorial bar model

'Magic 10'

$19 + 16$
 $= 19 + 1 + 15$
 $= 20 + 15$
 $= 35$

Which line has most money? How much more?

6 and how many more make 10?
 $6 + \square = 10$



I know that 7 is greater than 6, so 5 plus 7 must be greater than 5 plus 6

I can use Dienes to balance this number sentence

$23 + 6 = 20 + \square$

Fractions





Counting in fractions up to 10, starting from any numbers and using the $\frac{1}{2}$ and $\frac{2}{4}$ equivalence on the number line



Links from other strands

- Solve problems:
- Using concrete objects, pictorial representations (numbers, quantities & measures)
- Applying increasing knowledge of mental & written methods
- Partition numbers in different ways
- Discuss and solve problems that emphasise the value of each digit in two-digit numbers

Wandsworth LA Calculation Policy for addition: Year 3

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Mental Calculations</p>	<p>Add numbers mentally, including:</p> <ul style="list-style-type: none"> • a three-digit number and ones • a three-digit number and tens • a three digit number and hundreds • Partition all numbers and recombine, start with TU + TU then HTU + TU • Bridge across tens and hundress using 'part whole' • Use straws, dienes, place value counters, coins empty number lines 	<p>Common mental calculation strategies:</p> <ul style="list-style-type: none"> Partitioning and recombining Doubles and near doubles Use number pairs to 10 and 100 Adding near multiples of ten and adjusting Using patterns of similar calculations Using known number facts Bridging though ten, hundred Complementary addition 																		
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Written Calculations</p>	<p>Add numbers with up to three digits, using formal written (columnar) methods</p> <p>Add to three digit numbers using physical and abstract representations (e.g. straws, dienes, place value counters, empty number lines, coins)</p> <p>Use manipulatives to support structure of the algorithm especially place value</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <table border="1" style="border-collapse: collapse;"> <tr><td>30 + 4</td><td>34</td></tr> <tr><td>20 + 5</td><td>+25</td></tr> <tr><td>50 + 9</td><td>59</td></tr> </table> <table border="1" style="border-collapse: collapse;"> <tr><td>200 + 30 + 4</td><td>234</td></tr> <tr><td>500 + 20 + 7</td><td>+ 527</td></tr> <tr><td>700 + 60 + 1</td><td>761</td></tr> <tr><td>10</td><td>1</td></tr> </table> </div>	30 + 4	34	20 + 5	+25	50 + 9	59	200 + 30 + 4	234	500 + 20 + 7	+ 527	700 + 60 + 1	761	10	1	<p>Informal methods of recording are used as stepping stones to help children understand the logic of formal written methods.</p>				
30 + 4	34																			
20 + 5	+25																			
50 + 9	59																			
200 + 30 + 4	234																			
500 + 20 + 7	+ 527																			
700 + 60 + 1	761																			
10	1																			
<p>Revert to concrete representations if children find expanded/column methods difficult</p>																				
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Representations to support mental and written calculations.</p>	<p>Use a range of concrete, pictorial and abstract representations, including those below</p> <div style="display: flex; flex-wrap: wrap;"> <div style="width: 30%;"> <p>Bundles of straws</p>  <p>42 + 31 = 73</p> </div> <div style="width: 30%;"> <p>0 + 50 + 3</p> <p>10 + 40 + 3</p> <p>20 + 30 + 3</p> <p>30 + 20 + 3</p> <p>40 + 10 + 3</p> <p>50 + 0 + 3</p> </div> <div style="width: 30%;"> <p>160 + 280</p>  </div> <div style="width: 30%;"> <p>540</p> <table border="1" style="border-collapse: collapse;"> <tr><td>300</td><td>240</td></tr> <tr><td>□</td><td>□</td></tr> <tr><td>□</td><td>□</td></tr> <tr><td>□</td><td>□</td></tr> <tr><td>□</td><td>□</td></tr> </table> </div> <div style="width: 30%;"> <p>I can explain my method using representations</p>  </div> <div style="width: 30%;"> <p>Doubles and near doubles, using intelligent practice:</p> <p>40 + 40 = 130 + 130 =</p> <p>45 + 45 = 130 + 131 =</p> <p>45 + 46 = 129 + 130 =</p> <p>129 + 129 =</p> </div> <div style="width: 30%;"> <p>I can re-partition numbers mentally (& pictorially) to help with bridging through 10 and 100</p> <p>E.g. 78 + 53 = 78 + 22 + 31 = 131</p> </div> <div style="width: 30%;"> <p>76 + 21</p> <p>= 70 + 6 + 20 + 1</p> <p>= 90 + 7 = 97</p> <p>Partitioning and recombining</p> </div> <div style="width: 30%;"> <p>What is the same and what is different with these methods?</p> </div> <div style="width: 30%;"> <p>Use intelligent practice:</p> <p>164 + 33 =</p> <p>264 + 33 =</p> <p>264 + 34 =</p> <p>64 + 33 =</p> <p>65 + 33 =</p> <p style="background-color: yellow; padding: 2px;">64 + 33 = 97</p> </div> <div style="width: 30%;"> <p>Using empty box problems:</p> <p>23 + □ = 67</p> <p>23 + □ = 68</p> <p>23 + □ = 69</p> <p>23 + □ = 70</p> <p>23 + □ = 71</p> </div> <div style="width: 30%;"> <p>423 + □ = 323 + 250</p> <p>523 + 150 = □ + 250</p> <p>623 + 50 = □ + □</p> </div> <div style="width: 30%;"> <p>or</p> <p>leading to</p> <table border="1" style="border-collapse: collapse;"> <tr><td>2</td><td>5</td></tr> <tr><td>4</td><td>7</td></tr> <tr><td>+</td><td>7</td></tr> <tr><td>7</td><td>2</td></tr> </table> <p>Dienes and place value counters</p> </div> </div>		300	240	□	□	□	□	□	□	□	□	2	5	4	7	+	7	7	2
300	240																			
□	□																			
□	□																			
□	□																			
□	□																			
2	5																			
4	7																			
+	7																			
7	2																			
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Fractions</p>	<p>Addition of fractions with the same denominator within one whole.</p> <div style="border: 1px solid black; padding: 10px; width: fit-content; margin-left: auto; margin-right: auto;"> <p style="text-align: center;">Addition of fractions with the same denominator</p> $\frac{2}{5} + \frac{3}{5} = \frac{5}{5}$  </div>																			
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Links from other strands</p>	<p>Pupils should estimate the answers to a calculation & use inverse operations to check answers.</p> <p>Add amounts of money using both £ and p in practical contexts.</p> <p>Measure, compare and add lengths (m/cm/mm), mass (kg/g) & volume/capacity (l/ml)</p>																			


Wandsworth LA Calculation Policy for addition: Year 4

Informal methods to support mental Calculations

Practise mental methods with increasingly large numbers

Consolidate partitioning and re-partitioning
 Bridge tens and hundreds using partitioning and 'part whole'
 Use compensation for adding too much/little and adjusting
 Use straws, Dienes, place value counters, empty number lines etc.

I know that $63 + 29$ is the same as $63 + 30 - 1$



$$\begin{aligned} 55 + 37 &= 55 + 30 + 7 \\ &= 85 + 7 \\ &= 92 \end{aligned}$$

Common mental calculation strategies:

- Partitioning and recombining
- Doubles and near doubles
- Use number pairs to 10 and 100
- Adding near multiples of ten and adjusting
- Using patterns of similar calculations
- Using known number facts
- Bridging though ten, hundred
- Complementary addition

Written Calculations

Add numbers with up to four digits, using the formal written (columnar) method

789 + 642 becomes

Add three digit numbers using columnar method and then move onto 4 digits.
 Include decimal addition for money
 Use manipulatives to support structure of the algorithm especially place value

$$\begin{array}{r} 789 \\ + 642 \\ \hline 1431 \\ \hline 11 \end{array}$$


Answer: 1431

Revert to expanded methods if children find formal calculation method difficult

Representations to support mental and written calculations.


Use physical/pictorial representations alongside expanded and columnar methods.

Bundles of straws




$$42 + 31 = 73$$

Using Dienes



42 + 97 Compensating in mental addition



Ask what is the same and what is different about all these methods?


$$\begin{array}{r} \pounds 12.32 \\ + \pounds 11.81 \\ \hline \pounds 24.13 \\ \hline 1 \end{array}$$

$$\begin{array}{r} 1000 \\ 353 \end{array} + \begin{array}{r} 354 \end{array}$$

$$\begin{array}{r} 2000 \\ 493 \end{array} + \begin{array}{r} 754 \end{array}$$

Make 9990


$$\begin{aligned} 5023 + \square &= 9990 \\ 4023 + \square &= 9990 \\ 3023 + \square &= 9990 \end{aligned}$$



Use the bar model to reinforce the inverse relationship between addition & subtraction


Place value cards & counters to counters support the expanded method in readiness

$$\begin{aligned} 767 + 216 &= \\ 700 + 60 + 7 &+ \\ 200 + 10 + 6 &= \end{aligned}$$




Fractions

Addition of fractions with the same denominator *to become fluent through a variety of increasingly complex problems beyond one whole*
 Counting using simple fractions and decimals, both forwards and backwards





$$\frac{1}{2} + \frac{2}{4} = \frac{2}{4} + \frac{2}{4} = 1$$



Links from other strands

- Estimate and use inverse operations to check answers.
- Solve addition and subtraction two step problems in context, deciding which operations and methods to use and why
- Identify, represent and estimate numbers using different representations. (Place value)
- Recognise the place value of each digit in a four-digit number.
- Estimate, compare and calculate different measures, including amounts money in £ and p (including fractions and decimals)

Wandsworth LA Calculation Policy for addition: Year 5

Informal methods to support mental Calculations	<ul style="list-style-type: none"> • Add numbers mentally with increasingly large numbers, e.g. $12\ 462 + 2300 = 14\ 762$ • Mentally add tenths, and one-digit numbers and tenths • Add decimals, including a mix of whole numbers and decimals, decimals with different numbers of places, and complements of 1 (e.g. $0.83 + 0.17 = 1$) <p>Children use representation of choice Refer back to pictorial and physical representations when needed. Use concept of balance/equivalence to compensate Bridge across boundaries by partitioning</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Common mental calculation strategies: Partitioning and recombining Doubles and near doubles Use number pairs to 10 and 100 Adding near multiples of ten and adjusting Using patterns of similar calculations Using known number facts Bridging though ten, hundred, tenth Complementary addition</p> </div>																																							
Written Calculations	<p>Add whole numbers with more than four digits, using the formal written (columnar) method</p> <p>Add three digit numbers using columnar method and then move onto 4 digits. Include decimal addition for money Use manipulatives to support structure of the algorithm especially place value</p> <div style="display: flex; justify-content: space-around; align-items: flex-end;"> <table style="border-collapse: collapse;"> <tr><td style="text-align: right;">24172m</td><td></td></tr> <tr><td style="text-align: right;">+ 5929m</td><td></td></tr> <tr><td style="border-top: 1px solid black; text-align: right;">30101m</td><td></td></tr> <tr><td style="text-align: right;">1 1 1 1</td><td></td></tr> </table> <table style="border-collapse: collapse;"> <tr><td style="text-align: right;">£563.14</td><td></td></tr> <tr><td style="text-align: right;">+ £207.88</td><td></td></tr> <tr><td style="border-top: 1px solid black; text-align: right;">£771.02</td><td></td></tr> <tr><td style="text-align: right;">1 1 1</td><td></td></tr> </table> </div> <div style="background-color: #f4a460; padding: 5px; text-align: center; margin-top: 10px;"> Revert to expanded methods if children find formal calculation method difficult (see Y3) </div>	24172m		+ 5929m		30101m		1 1 1 1		£563.14		+ £207.88		£771.02		1 1 1																								
24172m																																								
+ 5929m																																								
30101m																																								
1 1 1 1																																								
£563.14																																								
+ £207.88																																								
£771.02																																								
1 1 1																																								
Represent-ations to support mental and written calculations.	<p>Use physical/pictorial representations alongside columnar methods where needed.</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>$12\ 462 + 2300$ $= 12\ 462 + 2000 + 300$ $= 14\ 462 + 300$ $= 14\ 762$</p> <p style="text-align: center;">Partitioning and recombining</p>  <p style="text-align: center;">Jottings to support mental calculation</p> </div> <div style="width: 30%; border: 1px solid orange; padding: 5px;"> <p>Use the bar model to reinforce the inverse relationship between addition & subtraction:</p> <table style="margin: 5px auto;"> <tr><td style="border: 1px solid black; padding: 2px;">9-5</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">3-8</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">5-7</td></tr> </table> <p>□ + □ = □ □ + □ = □ □ - □ = □ □ - □ = □</p> <p>This supports problem solving: Sam and Tom have £67.80 between them. If Sam has £6.20 more than Tom, how much does Tom have?</p> <p>Sam ■ + £6.20 Tom ■ } £67.80</p> <p>$£67.80 - £6.20 = £61.60$ $£61.60 \div 2 = £30.80$ Tom has £30.80</p> </div> <div style="width: 30%; border: 1px solid green; padding: 5px;"> <p>$1.6 + 1.4 = 3$ Write down three more pairs of decimal numbers that sum to 3</p> </div> <div style="width: 30%;"> <p>Place Value counters to support column addition</p>  <table style="margin-left: auto; margin-right: 0;"> <tr><td style="text-align: right;">393</td><td></td></tr> <tr><td style="text-align: right;">+ 308</td><td></td></tr> <tr><td style="border-top: 1px solid black; text-align: right;">1</td><td></td></tr> <tr><td style="text-align: right;">1</td><td></td></tr> </table> </div> </div> <div style="margin-top: 10px; border: 1px solid yellow; padding: 5px;"> <p>Compensating: true or false? $2741 + 1263 = 2742 + 1262$ Why? Can you use resources or draw a picture to explain your answer? How can you adjust this to make the calculation easier? $3498 + 2067$</p> </div> <div style="margin-top: 10px; border: 1px solid blue; border-radius: 15px; padding: 10px; text-align: center;"> <p>What is the same and what is different about all these methods?</p> </div>	9-5	3-8	5-7	393		+ 308		1		1																													
9-5																																								
3-8																																								
5-7																																								
393																																								
+ 308																																								
1																																								
1																																								
Fractions	<ul style="list-style-type: none"> • Add fractions with the same denominator and denominators that are multiples of the same number (to become fluent through a variety of increasingly complex problems and add fractions that exceed 1 as a mixed number) <div style="display: flex; justify-content: space-around; align-items: center;"> <table style="border-collapse: collapse;"> <tr><td style="border: 1px solid black; width: 20px; height: 20px; background-color: red;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: green;"></td><td style="border: 1px solid black; width: 20px; height: 20px;"></td><td style="border: 1px solid black; width: 20px; height: 20px;"></td></tr> </table> <table style="margin-left: 10px;"> <tr><td style="text-align: center;">$\frac{1}{2}$</td><td style="text-align: center;">$+$</td><td style="text-align: center;">$\frac{3}{4}$</td><td style="text-align: center;">$=$</td><td style="text-align: center;">$\frac{2}{4}$</td><td style="text-align: center;">$+$</td><td style="text-align: center;">$\frac{3}{4}$</td><td style="text-align: center;">$=$</td><td style="text-align: center;">$\frac{5}{4}$</td></tr> </table> <table style="border-collapse: collapse;"> <tr><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightblue;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightblue;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightblue;"></td></tr> <tr><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightblue;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightblue;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightblue;"></td></tr> </table> <table style="margin-left: 10px;"> <tr><td style="text-align: center;">$\frac{1}{2}$</td><td style="text-align: center;">$+$</td><td style="text-align: center;">$\frac{3}{4}$</td><td style="text-align: center;">$=$</td><td style="text-align: center;">$\frac{1}{2}$</td><td style="text-align: center;">$+$</td><td style="text-align: center;">$\frac{3}{4}$</td></tr> </table> <table style="border-collapse: collapse; margin-left: 10px;"> <tr><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td></tr> <tr><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td><td style="border: 1px solid black; width: 20px; height: 20px; background-color: lightgreen;"></td></tr> </table> <table style="margin-left: 10px;"> <tr><td style="text-align: center;">$\frac{1}{4}$</td><td style="text-align: center;">$+$</td><td style="text-align: center;">$\frac{5}{5}$</td><td style="text-align: center;">$=$</td><td style="text-align: center;">$\frac{9}{20}$</td></tr> </table> </div>					$\frac{1}{2}$	$+$	$\frac{3}{4}$	$=$	$\frac{2}{4}$	$+$	$\frac{3}{4}$	$=$	$\frac{5}{4}$							$\frac{1}{2}$	$+$	$\frac{3}{4}$	$=$	$\frac{1}{2}$	$+$	$\frac{3}{4}$									$\frac{1}{4}$	$+$	$\frac{5}{5}$	$=$	$\frac{9}{20}$
$\frac{1}{2}$	$+$	$\frac{3}{4}$	$=$	$\frac{2}{4}$	$+$	$\frac{3}{4}$	$=$	$\frac{5}{4}$																																
$\frac{1}{2}$	$+$	$\frac{3}{4}$	$=$	$\frac{1}{2}$	$+$	$\frac{3}{4}$																																		
$\frac{1}{4}$	$+$	$\frac{5}{5}$	$=$	$\frac{9}{20}$																																				
Links from other strands	<ul style="list-style-type: none"> • Solve problems involving up to three decimal numbers. • Solve addition and subtraction multi step problems in context, deciding which operations and methods to use and why • Use all four operations to solve problems involving measure [e.g. length, mass, volume, money] using decimal notation, • Calculate the perimeter of composite rectilinear squares in centimetres and metres • Use angle sum facts and other properties to make deductions about missing angles • Solve comparison, sum and difference problems using information presented in a line graph 																																							

Wandsworth LA Calculation Policy for addition: Year 6

Informal methods to support mental Calculations

- **Perform mental calculations, including with mixed operations and large numbers (*more complex calculations*)**
Children use representation of choice
Consolidate partitioning and re-partitioning for bridging boundaries (tens, hundreds, thousands, tenths, hundredths ...)
Use compensation for adding too much/little and adjusting
Refer back to pictorial and physical representations when needed.
Apply the rules of BIDMAS

Common mental calculation strategies:
 Partitioning and recombining
 Doubles and near doubles
 Use number pairs to 10 and 100
 Adding near multiples of ten and adjusting
 Using patterns of similar calculations
 Using known number facts
 Bridging though ten, hundred, tenth
 Complementary addition

Written Calculations

- **Add larger numbers using the formal written (columnar) method**
Add three digit numbers using columnar method and then move onto 4 digits.
Include decimal addition for money

$\begin{array}{r} \pounds 563.14 \\ + \pounds 207.88 \\ \hline \pounds 771.02 \\ \hline 111 \end{array}$	<p style="text-align: right; font-size: small;">789 + 642 becomes</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: right;">7 8 9</td></tr> <tr><td style="text-align: right;">+ 6 4 2</td></tr> <tr><td style="text-align: right;">-----</td></tr> <tr><td style="text-align: right;">1 4 3 1</td></tr> <tr><td style="text-align: right;">1 1</td></tr> </table> <p style="text-align: right; font-size: x-small;">Answer: 1431</p>	7 8 9	+ 6 4 2	-----	1 4 3 1	1 1
7 8 9						
+ 6 4 2						

1 4 3 1						
1 1						

Revert to expanded methods if children find formal calculation method difficult (see Y3)

Representations to support mental and written calculations.

Use physical/pictorial representations alongside columnar methods where needed. Ask what is the same and what is different?

12 462 + 2300
 = 12 462 + 2000 + 300
 = 14 462 + 300
 = 14 762

Jottings to support mental strategies

234 kg + 49 kg = 273 kg

$$\begin{array}{r} 200 + 30 + 4 \\ 40 + 9 \\ \hline 200 + 70 + 13 \end{array}$$

x and y represent whole numbers.
 Their sum is 1000.
 x is 250 more than y.
 What are the values of x and y?

Using the bar model to solve problems

x	
y + 250	

1000

Compare $31 + 9 \times 7$ and $(31 + 9) \times 7$
 What's the same? What's different?

Can you use five of the digits 1 to 9 to make this number sentence true?
 $\square \square \cdot \square + \square \cdot \square = 31 \cdot 7$
 Can you find other sets of five of the digits 1 to 9 that make the sentence true?

$14\ 781 - 6 \square 53 = 8528$
 $23 \cdot 12 + 22 \cdot \square = 45 \cdot 23$

I can explain my method using place value counters



Place Value counters to support column addition

$$\begin{array}{r} 393 \\ + 308 \\ \hline 1 \\ \hline 1 \end{array}$$

Follow the BIDMAS order of operations!
 Brackets
 Indices (powers of e.g. 2²)
 Division
 Multiplication
 Addition
 Subtraction

Fractions

- **Add fractions with different denominators and mixed numbers, using the concept of equivalent fractions**
- Start with fractions where the denominator of one fraction is a multiple of the other (e.g. $\frac{1}{2} + \frac{1}{8} = \frac{5}{8}$) and progress to varied and increasingly complex problems
- Practise calculations with simple fractions and decimal equivalents to aid fluency



Links from other strands

- Use their knowledge of the order of operations to carry out calculations involving the four operations (BIDMAS)
- Solve problems involving all four operations
- Algebra: use symbols and letters to represent variable and unknowns e.g. $a + b = b + a$
- Solve problems involving the calculation and conversions of units of measure, using decimal notation of up to three decimal places where appropriate
- *Using the number line, pupils use, add and subtract positive and negative integers for measures such as temperature*
- Calculate and interpret the mean as an average
- Interpret and construct pie charts and line graphs and use these to solve problems
- Find missing angles, and express geometry relationships algebraically (e.g. $d = 2xr$)

Wandsworth LA Calculation Policy for subtraction Year 1

Mental Calculations

Subtract one digit and two-digit numbers to 20, including zero.
 Read, write and interpret mathematical statements using symbols (+, -, =) signs.
 Represent and use number bonds and related addition facts within 20
 Solve one-step problems using concrete objects and pictorial representations, and missing number problems such as $7 = - 9$
 Memorise and reason with number bonds
 Add using objects, Numicon, cubes etc. and number lines and tracks
 Check with everyday objects
 Ensure pre-calculation steps are understood, including:
 Counting objects,

Understand subtraction as 'take away'



Find a 'difference' by counting up:



Conservation of number



Written Calculations

Subtract one-digit and two-digit numbers to 20, including zero.
 Read, write and interpret mathematical statements involving addition (+), subtraction (-) and equals (=) signs .

 $6 + 4 = 10$ $4 + 6 = 10$ $10 - 4 = 6$ $10 - 6 = 4$	 $6 + 4 = 10$ $4 + 6 = 10$ $10 - 4 = 6$ $10 - 6 = 4$	 $6 + 4 = 10$ $4 + 6 = 10$ $10 - 4 = 6$ $10 - 6 = 4$
Tens Frame	Part Whole Model	Bar Model

Represent and use number bonds and related subtraction facts within 20.

Representations to support mental and written calculations.

Use a range of concrete and pictorial representations, including:

Hands, fingers and children themselves. Straw bundles Bead strings, number tracks and lines

$6 - 4 = 2$
The difference between 6 and 4 is 2.

Difference or comparison model

Counting on or back.

Part Whole

$6 - 4 = \square$

Models such as Cuisenaire or balances reinforce the relationship between addition and subtraction.

Subtraction: Comparison Model
 Peter has 5 pencils and 3 erasers. How many more pencils than erasers does he have?

Links from other strands

Pupils should combine and increase numbers, counting forwards and backwards.
(They should) develop the concept of addition and subtraction and ... use these operations flexibly. Problems should include the terms: put together, add, altogether, total, take away, distance between, difference between, more than and less than, so that pupils develop the concept of addition and subtraction and are enabled to use these operations flexibly.
(Number-addition and subtraction, Non-statutory guidance.)
 Pupils discuss and solve problems in familiar practical contexts . *(Non-statutory guidance.)*
 Pupils compare, describe and solve practical (measurement) problems .
(Measurement)

Wandsworth LA Calculation Policy for subtraction Year 2

Mental Calculations

Add and subtract numbers using concrete objects, pictorial representations, and mentally, including:

- a two-digit number and ones
- a two-digit number and tens
- two two-digit numbers
- adding three one-digit numbers

Jottings to support informal methods:

Bridge through 10 where necessary
32 - 17




1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

$$54 - 32 = 22$$

Written Calculations

Written recording:

$$\begin{aligned} 37 - 12 &= 37 - 10 - 2 \\ &= 27 - 2 \\ &= 25 \end{aligned}$$




Continue to use of a range of concrete and pictorial representations from Year 1, including Bar model to support understanding of **difference**. (See below).

- = signs and missing numbers
Continue using a range of equations as in Year 1 but with appropriate numbers.
Extend to $14 + 5 = 20 - \square$
Find a small difference by counting up
 $42 - 39 = 3$


Representations to support mental and written calculations.

Informal methods to support written subtraction calculations

Practical partitioning of a 2-digit number



In Year 1 leads to:



The difference between 11 and 14 is 3.
 $14 - 11 = 3$
 $11 + \square = 14$

which can lead to exploration and variation

$4 - 1 = 3$
 $14 - 11 = 3$
 $24 - 21 = 3$

Subtract (without decomposition) using partitioning and manipulatives, e.g. Dienes or straw bundles


To calculate $35 - 22$, remove 22.





Then record: $35 - 22 = 13$.

Pupils experience bridging through 10 using number bonds and the Part Whole model.

$$65 - 38 = \dots\dots$$




8 can be partitioned using the Part Whole model.



Fractions

Pupils should count in fractions up to 10, starting from any number and using the and equivalence on the number line (for example, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2.)

Use concrete and pictorial models of fractions to assist with counting e.g. paper cups, plates, shapes etc.



Links from other strands

Recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100.

Pupils should partition numbers in different ways (for example, $23 = 20 + 3$ and $23 = 10 + 13$) to support subtraction.

- $55 + 45 = 100$
- $45 + 55 = 100$
- $35 + 65 = 100$
- $100 - 55 = 45$
- $100 - 45 = 55$
- $100 - 35 = 65$

Solve problems with addition and subtraction:

- using concrete objects and pictorial representations, including those involving numbers, quantities and measures
- applying their increasing knowledge of mental and written methods
- Pupils extend their understanding of the language of addition and subtraction to include sum and difference.

Wandsworth LA Calculation Policy for subtraction Year 3

Mental Calculations

Add and subtract numbers mentally, including:

- *a three-digit number and ones
- *a three-digit number and tens
- *a three-digit number and hundreds.


101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130
131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190
191	192	193	194	195	196	197	198	199	200

247	
173	74

$173 + 74 = 247$
 $74 + 173 = 247$
 $247 - 173 = 74$
 $247 - 74 = 173$

Use a number line, Dienes, 100 squares, 200 hundred squares, and similar representations, to support mental calculations. (See below.)

Use known number facts and place value to subtract
Continue as in Year 2 but with appropriate numbers e.g. $97 - 15 = 72$




With practice, children will need to record less information and decide whether to count back or forward. It is useful to ask children whether counting up or back is the more efficient for calculations such as $57 - 12$, $86 - 77$ or $43 - 28$.

Pencil and paper procedures

Complementary addition

$84 - 56 = 28$



Written Calculations

Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction.

(1) Extended columnar - no exchange

Extended method $87 - 53 =$

$$\begin{array}{r} 80 \text{ and } 7 \\ - 50 \text{ and } 3 \\ \hline 30 \text{ and } 4 = 34 \end{array}$$

(2) Extended columnar - with exchange:


$87 - 58$ becomes

$$\begin{array}{r} 70 + 17 \\ - 50 + 8 \\ \hline 20 + 9 \end{array}$$




$87 = 70 + 17$

Representations to support mental and written calculations.



Partitioning and re-partitioning support the understanding of place-value.



- $30 + 6$
- $20 + 16$
- $10 + 26$

All of these representations still comprise the amount of 36.

Introduce transition from concrete place value representations, (e.g. dienes or straws), to pictorial – such as place value counters or money.



132 in Dienes 132 in place value counters.

Revert to concrete manipulatives and expanded methods whenever difficulties arise

Fractions

Count up and down in tenths.
Add and subtract fractions with the same denominator within one whole.

$$\frac{1}{6} + \frac{1}{6} + \frac{1}{6} = \frac{3}{6} = \frac{1}{2}$$

Adding Fractions

Bar model



Links from other strands

Money and calculating duration of events (with number lines.)

For example: **“Add and subtract amounts of money to give change, using both £ and p in practical contexts.”**

“Compare durations of events [for example to calculate the time taken by particular events or tasks].” (Measurement)

Wandsworth LA Calculation Policy for subtraction Year 4

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Calculations</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Mental</p>	<p>Continue to practise mental methods with increasingly large numbers to aid fluency. (From Non-Statutory Guidance).</p> <p>Methods to support fluent calculation and encourage efficiency of method:</p> <ul style="list-style-type: none"> Find a small difference by counting up. E.g. 5003—4996 Subtract nearest multiple of ten and adjust. Partition larger numbers <p>Whenever possible, children should be encouraged to visualise number lines and other basic, supporting representations to promote fluent work without jottings.</p> <div style="border: 1px solid blue; padding: 5px; margin-top: 10px;"> <p><i>This could be done using an empty number line. Children should recall and use number facts to reduce the number of steps.</i></p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Use known number facts and place value to subtract $92 - 25 = 67$</p> </div>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Calculations</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Written</p>	<p>Add and subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate.</p> <p>Build on formal, extended method (See Year 3) using exchange wherever necessary. Continue to use representations and manipulatives to develop understanding of place value.</p> <div style="text-align: center; margin: 10px 0;"> $372 - 147 =$ </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> $\begin{array}{r} 300 + 70 + 2 \\ -100 + 40 + 7 \end{array}$ </div> <div style="font-size: 2em; color: orange;">→</div> <div style="text-align: center;"> $\begin{array}{r} 300 + 60 + 12 \\ -100 + 40 + 7 \\ \hline 200 + 20 + 5 \end{array}$ </div> <div style="font-size: 2em; color: orange;">→</div> <div style="text-align: center;"> $\begin{array}{r} 300 + \cancel{70} + 2 \\ -100 + 40 + 7 \\ \hline 200 + 20 + 5 \end{array}$ </div> </div> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Apply understanding of subtraction with larger integers to that of decimals in context of money and measures. (See Year 5.)</p> </div>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Representations and written calculations.</p>	<p>72 - 47</p> <div style="display: flex; justify-content: space-around; align-items: center;"> </div> <div style="text-align: center; margin: 10px 0;"> <p>This is now "Sixty-twelve"</p> </div> <div style="display: flex; justify-content: space-around; align-items: center;"> </div> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Use physical and / or pictorial representations and expanded algorithms alongside columnar methods. Ask: <i>What is the same? What's different?</i> Compare and discuss the suitability of different methods in context. Pupils decide which operations and methods to use and why.</p> </div> <div style="border: 1px solid gray; border-radius: 50%; padding: 10px; width: fit-content; margin-left: auto; margin-top: 10px;"> <p><i>I would count on using a number line to calculate 5003-4896; because the numbers are close together.</i></p> </div>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Fractions</p>	<div style="border: 1px solid blue; padding: 5px; margin-bottom: 10px;"> $\frac{6}{7} + \frac{3}{7} = \frac{9}{7}$ </div> <p>Count up and down in hundredths.</p> <p>Add and subtract fractions with the same denominator .</p> <p>Solve simple measure and money problems involving fractions and decimals to two decimal places.</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Links from other strands</p>	<p>Identify, represent and estimate numbers using different representations. (Place value)</p> <p>Recognise the place value of each digit in a four-digit number.</p> <p>Estimate and use inverse operations to check answers to a calculation .</p> <p>Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why.</p> <p>Estimate, compare and calculate different measures, including money in pounds and pence.</p>

Wandsworth LA Calculation Policy for subtraction Year 5

Mental Calculations

- Subtract numbers mentally with increasingly large numbers.
E.g. $12\ 462 - 2300 = 10\ 162$
- Use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy .
- *Pupils practise adding and subtracting decimals, including a mix of whole numbers and decimals, decimals with different numbers of decimal places, and complements of 1 (for example, $1 - 0.17 = 0.83$).*
- *Pupils mentally add and subtract tenths, and one-digit whole numbers and tenths.*

Basic Mental Strategies for Subtraction

- ◆ Find differences by counting up
 - ◆ Partitioning
 - ◆ Applying known facts
 - ◆ Bridging through 10 and multiples of 10
 - ◆ Subtracting 9, 11 etc. by compensating
 - ◆ Counting on to, or back from the largest number
- National Curriculum 1999*

Which method works best? Why? How else could we do it?

Children use, or visualise, representation of choice. Refer back to physical representations as required.

Written Calculations

Add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction).

(Pupils) practise adding and subtracting decimals.

Begin with three-digit numbers using formal, columnar method; then move into four-digit numbers.

As in Year 4, compare physical and / or pictorial representations and expanded algorithms alongside columnar methods. Ask: *What is the same? What's different?*
Compare and discuss the suitability of different methods, (mental or written), in context.
Revert to expanded methods whenever difficulties arise

$£17.34 - £12.16$

$1000+700+20+14p$ $- 1000+200+10+ 6p$ <hr style="width: 100%;"/> $500+10+ 8p$	2 $1734p$ $- 1216p$ <hr style="width: 100%;"/> $518p$	$£ 2$ 17.34 $- 12.16$ <hr style="width: 100%;"/> 5.18
---	--	--

What is the same about these models? What's different?

Relate place value of decimals with that of whole numbers using representations. See below.

Representations to support mental and written calculations.

X 100
X 10

Integers
Money
Decimals

Column Subtraction with Place Value Counters

Use physical and pictorial representations to stress the place value relationships between money, decimals and whole numbers. A place value mat such as the this one could be used, moving away from the traditional: *Hundreds, tens and ones* model used in Lower KS2 and KS1.

Fractions

Subtract fractions with the same denominator and denominators that are multiples of the same number. *(Include fractions exceeding 1 as a mixed number.)*

Solve problems involving number up to three decimal places .

They mentally add and subtract tenths, and one-digit whole numbers and tenths.

Links from other strands

Solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign.

Use all four operations to solve problems involving time, money and measure using decimal notation; (up to 3d.p.)

Wandsworth LA Calculation Policy for subtraction Year 6

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Calculations</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Mental</p>	<p>Children:</p> <ul style="list-style-type: none"> Perform mental calculations, including with mixed operations and large numbers. Use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy. <i>They undertake mental calculations with increasingly large numbers and more complex calculations.</i> <p>Children draw on basic, Mental subtraction Strategies, (See Year 5.) Children use, or visualise, representation of choice. Refer back to physical representations as required.</p>	<p>Use known number facts and place value to subtract $0.5 - 0.31 = 0.19$</p>												
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Calculations</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Written</p>	<p>Add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction). Solve problems involving the calculation and conversions of units of measure, using decimal notation of up to three decimal places where appropriate. (MEASURES)</p> <p>Move towards consolidation of formal, columnar method. For more complex calculations, with increasingly larger or smaller numbers, compare representations and expanded algorithms alongside columnar methods. Ask: What is the same? What's different? Compare and discuss the suitability of different methods, (mental or written), in context. Revert to expanded methods whenever difficulties arise</p>	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px;"> <p>932 - 457 becomes</p> </div> <div style="border: 1px solid black; padding: 5px;"> <p>Consolidate columnar methods, paying particular attention to the occurrence of zeros as place holders.</p> </div> <div style="border: 1px solid black; padding: 5px;"> </div> <div style="border: 1px solid black; padding: 5px;"> </div> </div>												
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Representations to support mental and written calculations.</p>	<div style="border: 1px solid black; padding: 5px;"> <p>Bus Timetable</p> <table border="1"> <tr><td>Tysoe</td><td>11:18 am</td></tr> <tr><td>Oxhill</td><td>12:05 pm</td></tr> <tr><td>Whatcote</td><td>12:55 pm</td></tr> <tr><td>Fulreedy</td><td>1:46 pm</td></tr> <tr><td>Honington</td><td>2:34 pm</td></tr> <tr><td>Shipston</td><td>3:26 pm</td></tr> </table> <p>How long is the journey from Oxhill to Shipston?</p> <p>55 mins + 2 hr + 26 mins =</p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Use physical/pictorial representations alongside columnar methods where needed. <i>What is the same, what is different?</i></p> </div>	Tysoe	11:18 am	Oxhill	12:05 pm	Whatcote	12:55 pm	Fulreedy	1:46 pm	Honington	2:34 pm	Shipston	3:26 pm	<div style="border: 1px solid black; padding: 5px; margin-top: 10px; width: fit-content; margin-left: auto;"> $2037 - 485 = 1552$ </div>
Tysoe	11:18 am													
Oxhill	12:05 pm													
Whatcote	12:55 pm													
Fulreedy	1:46 pm													
Honington	2:34 pm													
Shipston	3:26 pm													
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Fractions</p>	<p>Add and subtract fractions with different denominators and mixed numbers. <i>They practise calculations with simple fractions and decimal fraction equivalents to aid fluency.</i></p>													
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Links from other strands</p>	<p>Use their knowledge of the order of operations to carry out calculations involving the four operations (BIDMAS) Solve problems involving all four operations Algebra: use symbols and letters to represent variable and unknowns e.g. $a + b = b + a$ Using the number line, pupils use, add and subtract positive and negative integers for measures such as temperature.</p>													

Wandsworth LA Calculation Policy for multiplication: Year 1

Mental Calculations

- solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.
- Count in multiples of twos, fives and tens with equipment, songs & rhythms, and including by rote
 - Counting 2s e.g. counting socks, shoes, animal legs...
 - Counting in 5s e.g. counting fingers, fingers in gloves, toes ...
 - Counting in 10s e.g. counting fingers, toes ...

Written Calculations

- Doubles up to 10
- Recognising odd and even numbers
- Write as a number pattern (e.g. 5, 10, 15...; 2, 4, 6...; 10, 20, 30...)

It is important to use a range of models to develop understanding of multiplication, and that children make connections between arrays, number patterns, and counting in twos, fives and tens

Although there is no statutory requirement for written multiplication in Year 1, it may be helpful to encourage children to begin to write it as a repeated addition sentence in preparation for Year 2
E.g. $2 + 2 + 2 + 2 = 8$

Plan for short daily focus sessions on number facts

What's the sequence?

What comes next?

Use a range of concrete and pictorial representations, including:

There are 3 sweets in one bag. How many sweets are there in 5 bags?

4 groups of 3
3 groups of 4

2 groups of 5 (5 x 2) using Numicon

4 groups of 2p
2p multiplied by 4
 $2p \times 4 = 8p$

Can I use doubling?

Concrete to pictorial: counting in 5s

Anna is counting in fives: 5, 10, , 20, , , ...

3 + 3 + 3 + 3 = 12
3 multiplied by 4 is 12
 $3 \times 4 = 12$

"2 strawberries 3 times"
 $2 \times 3 = 6$
 $2 + 2 + 2 = 6$

What do you notice about odd numbers?

Double 4 in hoops

"Lots of the 'same thing'"

Bead Bar

Number Line

Fingers

Representations to support mental and written calculations.

Contextualise the mathematics:
Susie invites 6 friends to her birthday party.

How many cherries are there on the plate?

How many biscuits will we need if we eat 2 each?

There are 5 sweets for each party bag. How many sweets do I need altogether?

How do they count?
In 1s? 2s? 5s? 10s?

Links from other strands

- Count in multiples of twos, fives and tens (from Number and place value), as above
- Counting in twos, five and tens from different multiples to develop their recognition of patterns in the number system
- They discuss and solve problems in familiar practical contexts, including using quantities.

Wandsworth LA Calculation Policy for multiplication: Year 2

Mental Calculations

- Recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, *connecting the 2, 5 and 10 multiplication tables to each other*
- Connect the 10 multiplication table to place value
- Recognise odd and even numbers
- show that multiplication of two numbers can be done in any order (commutative)
- Use a variety of language to describe multiplication and division
- Apply doubling of numbers up to ten to doubling larger numbers

I know that the multiples of 2/5/10 are always/never

Written Calculations

- calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (\times), division (\div) and equals (=) signs
- Begin to use other multiplication tables and recall facts to perform written calculations
- Use a range of materials and contexts ... including arrays and repeated addition

$$7 \times 2 = \square$$

$$7 \times \square = 14$$

$$\square \times 2 = 14$$

$$\triangle \times \square = 14$$

Representations to support mental and written calculations.

Use a range of concrete and pictorial representations, including:

Concrete to pictorial: counting in 10s

What multiplication sentences can you write with these numbers: 5, 10, 50?

Counting 5 minute intervals

Counting tally marks to support counting in 5s.

3 multiplied by 5 $\rightarrow 3 \times 5$
 $3 + 3 + 3 + 3 + 3 =$

Groups of 10, six times

 $10 \times 6 = 60$

I want five, four times

 $5 \times 4 = 20$

I want four, five times

 $4 \times 5 = 20$

What arrays can you make with 20 counters?

What do you notice about the numbers covered up? Is there a pattern? What number is next?

Using the bar model to solve problems

A book costs £5.
 Rosie buys twice as many as Jim.
 How much do they spend altogether?

 $5 \times 3 = 15$
 They spend £15 altogether.

Develop an understanding of the equals sign:

$$10 + 10 = 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2$$

$$5 + 5 + 5 + 5 = 4 + 4 + 4 + 4 + 4$$

Using coins:

Contextualise the maths:
 Would you rather have:
 4 packets of biscuits with 5 in each packet, or
 3 packets of biscuits with 10 in each packet?
 Explain your answer.

Fractions

- write simple fractions for example, $\frac{1}{2}$ of $6 = 3$ and recognise the equivalence of two quarters and one half
- Begin to relate multiplication and division models to fractions and measures



Fact families

$$4 \times 2 = 8$$

$$2 \times 4 = 8$$

$$8 \div 2 = 4 \rightarrow \frac{1}{2} \text{ of } 8 = 4$$

$$8 \div 4 = 2 \rightarrow \frac{1}{4} \text{ of } 8 = 2$$

Links from other strands

- solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts.
- Use commutativity and inverse relations to develop multiplicative reasoning (e.g. $4 \times 5 = 20$ and $20 \div 5 = 4$)
- Statistics—interpret and construct simple pictograms, tally charts and block diagrams
- Measurement— counting 5 minute intervals on a clock face
- Place value count in steps of 2, 3 and 5 from 0 and in tens from any number, forwards and backwards

Wandsworth LA Calculation Policy for multiplication: Year 3

Mental Calculations

- recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables (and 2, 5 and 10 multiplication tables from Y2)
- Use doubling to connect 2, 4 and 8 multiplication tables
- Develop efficient mental methods using commutativity and associativity
- Derive related multiplication and division facts
- calculate mathematical statements for multiplication using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental methods
- Partitioning: multiply the tens first and then multiply the units, e.g. $57 \times 6 = (50 \times 6) + (7 \times 6) = 300 + 42 = 342$
- Children can apply these skills to solve spoken word problems too,
- Include missing number statements e.g. $72 \div \square = 8$

The associative law:
 $4 \times 12 \times 5 = 4 \times 5 \times 12$
 $= 20 \times 12$
 $= 240$

The commutative law:
 $4 \times 12 = 12 \times 4$

Ensure opportunities to learn multiplication tables through use of visual models, images and also rote learning.

Multiplication and division facts:
 $8 \times 4 = 32, 4 \times 8 = 32, 32 \div 4 = 8, 32 \div 8 = 4$

Deriving related facts:
 $3 \times 2 = 60, 6 \div 3 = 2, 6 \div 2 = 3$
 $\rightarrow 30 \times 2 = 60, 60 \div 3 = 20, 20 = 60 \div 3$

I have 8 packets, each containing 12 crayons. How many crayons do I have in total?

Written Calculations

- write and calculate mathematical statements for multiplication using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, progressing to formal written methods
- Estimate before calculating
- Ensure written methods build on/relate to mental methods

Towards the column method ...

x	20	4
6	120	24
		120 + 24 = 144

24×6 becomes

24	
x 6	
120	
24	
144	

Answer: 144

Representations to support mental and written calculations.

Using arrays

I can see seven, eight times!

I can see eight groups of seven!

True or false?
 $4 \times 6 = 6 \times 4$

I can use this fact family to write two multiplication sentences!

Use intelligent practice e.g.

$3 \times \square + 2 = 20$
 $3 \times \square + 2 = 23$
 $3 \times \square + 2 = 26$
 $3 \times \square + 2 = 29$
 $3 \times \square + 2 = 35$

$4 \times 5 = 10 \square 10$
 $6 \square 5 = 15 + 15$
 $6 \square 5 = 20 \square 10$
 $8 \square 5 = 20 \square 20$
 $8 \square 5 = 60 \square 20$

And seven groups of eight!

So I can use 7×8 to help me work out 8×7 !

Use arrays for partitioning too

Spot the pattern!

Multiples of 2: 2 4 6 8 10 12 14 16 ...
 Multiples of 4: 4 8 12 16 ...
 Multiples of 8: 8 16 ...

What's the same? what's different about these two times tables?

4×7 $? \times 4$

"I want three, four times"



3 + 3 + 3 + 3 = 12
 $3 \times 4 = 12$

Which is the odd one out? Why?
 24×3
 36×4
 13×5
 32×2

Fractions

- recognise and show, using diagrams, equivalent fractions with small denominators

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
2	4	6	8	10	12	14	16	18	20										
3	6	9	12	15	18	21	24	27	30										
4	8	12	16	20	24	28	32	36	40										
5	10	15	20	25	30	35	40	45	50										



Links from other strands

- solve problems, including missing number problems, involving multiplication, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects.
- The comparison of measures includes simple scaling by integers (for example, a given quantity or measure is twice as long or five times as high)
- Pupils now use multiples of 2, 3, 4, 5, 8, 10, 50 and 100.
- Pupils understand and use simple scales (for example, 2, 5, 10 units per cm) in pictograms and bar charts with increasing accuracy.

Wandsworth LA Calculation Policy for multiplication: Year 4

Informal methods to support mental Calculations


- recall multiplication and division facts for multiplication tables up to 12×12
- use place value, known and derived facts to multiply and divide mentally, including:
 - multiplying by 0 and 1;
 - dividing by 1;
 - multiplying together three numbers
- recognise and use factor pairs and commutativity in mental calculations
- practise mental methods and extend this to three-digit numbers to derive facts, (for example $600 \div 3 = 200$ can be derived from $2 \times 3 = 6$)
- apply understanding of the equals sign
- link facts within the tables (e.g. $5 \times$ is half of $10 \times$)

Using the **distributive law**:
 $39 \times 7 = 30 \times 7 + 9 \times 7$
 Using the **associative law**:
 $(2 \times 3) \times 4 = 2 \times (3 \times 4)$

Using facts and rules:
 $2 \times 6 \times 5 = 10 \times 6 = 60$

Written Calculations

- multiply two-digit and three-digit numbers by a one-digit number using formal written layout
- Estimate before calculating
- Ensure written methods build on/relate to mental methods (e.g. grid method) based on an understanding of place value
- Use grid and expanded column methods as stepping stones alongside



Key skills to support:

- know or quickly recall multiplication facts up to 12×12
- understand the effect of multiplying numbers by 10, 100 or 1000
- multiply multiples of 10, for example, 20×40 ;
- approximate, e.g. recognise that 72×38 is approximately $70 \times 40 = 2800$ and use this information to check whether their answer appears sensible

Revert to expanded methods if children find formal calculation method difficult

Representations to support mental and written calculations.


Ensure children can confidently multiply & divide by 10 and 100, that multiplying by 10 makes the number bigger and all digits move one place to the left, while dividing by 10 makes the number smaller and all the digits move one place to the right.

Moving digits ITP



$$\begin{array}{r} 245 \\ \times 6 \\ \hline 1470 \\ 23 \end{array}$$

I can use place value counters to model the grid method




Three ways to calculate 7×6 :
 $7 \times 6 = 7 \times 5 + \square$ $7 \times 6 = 7 \times 7 - \square$ $7 \times 6 = \square \times \square$
 Now find the answer to 6×9 in three different ways.

This digit is worth 200

This digit is worth 30

Use arrays made with place value counters to demonstrate the link between multiplication and division. This will support understanding of the grid method.



Children need to understand and apply the language of multiples and factors and use it in solving multiplication and division problems e.g.
 'All factors of 36 are multiples of 2, true or false?
 Find me two factors of 48 that are also multiples of 3.'

Use intelligent practice e.g.

$2 \times 3 =$	$6 \times 7 =$	$9 \times 8 =$
$2 \times 30 =$	$6 \times 70 =$	$9 \times 80 =$
$2 \times 300 =$	$6 \times 700 =$	$9 \times 800 =$
$20 \times 3 =$	$60 \times 7 =$	$90 \times 8 =$
$200 \times 3 =$	$600 \times 7 =$	$900 \times 8 =$

Using the bar model to solve problems:

Sam has 12 football cards.
 Sally has 6 times as many football cards as Sam.
 How many cards do Sally and Sam have altogether?




Fractions

- recognise and show, using diagrams, families of common equivalent fractions
- understand the relation between non-unit fractions and multiplication and division of quantities, with particular emphasis on tenths and hundredths.
- make connections between fractions of a length, of a shape and as a representation of one whole or set of quantities.
- use factors and multiples to recognise equivalent fractions and simplify where appropriate

$$\frac{4}{10} \quad \frac{6}{15} \quad \frac{8}{20} \quad \frac{10}{25} \quad \frac{12}{30} \quad \frac{14}{35} \quad \frac{16}{40}$$

$$\frac{2}{5} = \frac{16}{40}$$



Links from other strands

- solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects.
- Convert between different units of measure (e.g. km to m) - use multiplication to convert from larger to smaller units
- Understand the relation between non-unit fractions and multiplication/division of quantities. With particular emphasis on tenths and hundredths
- relate area to arrays and multiplication.
- Problem solving work can involve finding all possibilities and combinations drawing on knowledge of multiplication tables facts
- Pupils understand and use a greater range of scales in their representations (Statistics)

Wandsworth LA Calculation Policy for multiplication: Year 5

Informal methods to support mental Calculations

- multiply and divide numbers mentally drawing upon known facts
- multiply and divide whole numbers and those involving decimals by 10, 100 & 1000
- Recognise and use square & cube numbers (& notation)
- Use factors and multiples as connected ideas: 48 is a multiple of 6 and 6 is a factor of 48.

Pupils should be taught throughout that percentages, decimals and fractions are different ways of expressing proportions.

Spider diagrams

To be successful at multiplying decimal numbers using a written method, children need to be completely secure in using known multiplication facts to derive linked decimal facts. Spider diagrams provide a visual way of recording these facts.

24 x 15 = ?

I did: $24 \times 5 = 120$ (half of 24×10), then multiplied 120 by 3 to get 360

I did: $(24 \times 10) + (24 \times 5)$.

Example of constructing equivalence statements:
 $4 \times 35 = 2 \times 2 \times 35$;
 $3 \times 270 = 3 \times 3 \times 9 \times 10 = 92 \times 10$

Written Calculations

- multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers

$\begin{array}{r} 24 \times 16 \text{ becomes} \\ 24 \\ \times 16 \\ \hline 144 \\ 240 \\ \hline 384 \end{array}$ <p>Answer: 384</p>	$\begin{array}{r} 124 \times 26 \text{ becomes} \\ 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \end{array}$ <p>Answer: 3224</p>	$\begin{array}{r} 124 \times 26 \text{ becomes} \\ 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \end{array}$ <p>Answer: 3224</p>	$\begin{array}{r} 2741 \times 6 \text{ becomes} \\ 2741 \\ \times 6 \\ \hline 16446 \\ \hline 16446 \end{array}$ <p>Answer: 16446</p>
--	---	---	---

Compact methods for multiplication are efficient but often do not make the value of each digit explicit. When introducing multiplication of decimals, it is sensible to take children back to an expanded form such as the grid method where the value of each digit is clear, to ensure that children understand the process.

Does your answer seem reasonable?

Revert to expanded methods if children find formal calculation method difficult (see Y3/Y4)

Representations to support mental and written calculations.

3000	500	60	7		
20	60000	10000	1200	140	71340
4	12000	2000	240	28	14268
Total					85608

What is the same and what is different about these two

$12 \times 6 = 24 \times 3$
True or false? Prove it!

Complete the pyramid:

Start multiplying by using the **least significant digit** for the grid method will support children with implementation of the written procedure

8 is a multiple of 4 and a factor of 16
 6 is a multiple of 3 and a factor of
 is a multiple of 5 and a factor of
 is a multiple of and a factor of

Build on children's understanding: demonstrate multiplication of a decimal number alongside its whole number equivalent

$\begin{array}{r} 326 \\ \times 8 \\ \hline 2400 \\ 160 \\ \hline 2608 \end{array}$	$\begin{array}{r} 3.26 \\ \times 8 \\ \hline 24.00 \\ 1.60 \\ \hline 26.08 \end{array}$
---	---

Fractions

- multiply proper fractions and mixed numbers by whole numbers, supported by materials and diagrams
 - identify, name and write equivalent fractions of a given fraction, represented visually, including tenths and hundredths
- Pupils connect multiplication by a fraction to using fractions as operators (fractions of), and to division, building on work from previous years. This relates to scaling by simple fractions, including fractions > 1.*

Encourage children to draw diagrams to represent situations or problems involving fractions. Model how to do this, for example:

$\frac{2}{5}$ of a number is 20. What is the number?

Whole=50

Two ways to calculate $\frac{1}{4} \times 8$:

What is $\frac{1}{4}$ of 8 objects? $\frac{1}{4} \times 8 = 8 \div 4 = 2$
 1 part = 2.
 3 parts = 2×3
 So $\frac{3}{4} \times 8 = (8 \div 4) \times 3 = 6$

$\frac{1}{4} \times 8 = (3 \times \frac{1}{4}) \times 8$
 We find the number of $\frac{1}{4}$ s in $\frac{1}{4} \times 8$
 There are 24 quarters in $\frac{1}{4} \times 8$.
 That is equal to 6

Links from other strands

- identify multiples & factors, including finding all factor pairs of a number, & common factors of two numbers
 - know and use the vocabulary of prime numbers, prime factors and composite (non-prime) numbers
 - establish whether a number up to 100 is prime and recall prime numbers up to 19
 - solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes, and including understanding the meaning of the equals sign
 - solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates
 - use all four operations to solve problems involving measure [for example, length, mass, volume, money] using decimal notation, including scaling.
 - convert between different units of metric measure; problems including money.
- Other links: ratio,**
Pupils use their knowledge of place value and multiplication and division to convert between standard units.
Pupils calculate the perimeter of rectangles and related composite shapes, including using the relations of perimeter or area to find unknown lengths. Missing measures questions such as these can be expressed algebraically, for example $4 + 2b = 20$ for a rectangle of sides 2 cm and b cm and perimeter of 20cm.
Pupils calculate the area from scale drawings using given measurements.

Wandsworth LA Calculation Policy for multiplication: Year 6

Informal methods to support mental Calculations

- perform mental calculations, including with mixed operations and large numbers (*increasingly large numbers & more complex calculations*)
- use all the multiplication tables to calculate mathematical statements in order to maintain fluency.
- use estimation to check answers to calculations & determine, in the context of a problem, an appropriate degree of accuracy.
- identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places
- Use and apply connections between factors, multiples and prime numbers and between fractions, division and ratios.

Use mental strategies to solve problems e.g.

- x4 by doubling and doubling again
- x5 by x10 and halving
- x20 by x10 and doubling
- x9 by multiplying by 10 and adjusting
- x6 by multiplying by 3 and doubling

What is the best approximation for 4.4×18.6 ?

Children should know the square numbers up to 12×12 & derive the corresponding squares of multiples of 10 e.g. $80 \times 80 = 6400$

How many different \times/\div facts can you make using 72? 7.2? 0.72?

Written Calculations

- multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication (*short & long multiplication*)
- multiply one-digit numbers with up to two decimal places by whole numbers
- understand that standard written multiplication method involves a number of partial products e.g. 36×24 is made up of four partial products 30×20 , 30×4 , 6×20 , 6×4 .
- Use manipulatives to support structure of the algorithm especially place value

£	6.23
x	27
<hr/>	
	43.61
	124.60
	<hr/>
£	168.21

Revert to expanded methods if children find formal calculation method difficult (see Y4/Y5)

Representations to support mental and written calculations.

Look at long-multiplication calculations containing errors, identify the errors and determine how they should be corrected

Using the bar model to solve problems:

A gardener plants tulip bulbs in a flower bed. She plants 3 red bulbs for every 4 white bulbs. She plants 60 red bulbs.

How many white bulbs does she plant?

Use empty box questions:

$\square \times \square = 864$

$\square \times \square \times \square = 864$

Use questioning to develop conceptual understanding e.g. Which is the odd one out?
 24×3 36×4 13×5 32×2

BODMAS

- $8.4 \times 3 + 8.4 \times 7$
- $6.7 \times 5 - 0.67 \times 50$
- $93 \times 0.2 + 0.8 \times 93$
- $7.2 \times 4 + 3.6 \times 8$

Fractions

- multiply simple pairs of proper fractions, writing the answer in its simplest form e.g. $\frac{1}{4} \times \frac{1}{2} = \frac{1}{8}$

Three key applications of understanding:

- Recognise that $\frac{1}{4}$ of 12, $\frac{1}{4} \times 12$ and 12 divided by 4 are equivalent
- Use cancellation to simplify the product of a fraction and an integer e.g. $\frac{1}{2} \times 15 = 3$, $\frac{2}{3} \times 15 = 2 \times \frac{1}{3} \times 15 = 2 \times 3 = 6$
- Work out how many $\frac{1}{2}$ s in 15, how many $\frac{2}{3}$ s in 15, how many $\frac{2}{5}$ s in 1 etc.

To calculate $\frac{1}{4} \times \frac{1}{2}$, find $\frac{1}{2}$ of a rectangle/array, then divide that $\frac{1}{2}$ into $\frac{1}{4}$ s. So $\frac{1}{4}$ of $\frac{1}{2}$ is $\frac{1}{8}$

Pupils should use a variety of images to support their understanding of multiplication with fractions. This follows earlier work about fractions as operators (fractions of), as numbers, and as equal parts of objects, e.g. as parts of a rectangle.

Links from other strands


- identify common factors, common multiples and prime numbers
- use their knowledge of the order of operations to carry out calculations involving the four operations
- solve problems involving addition, subtraction, multiplication and division
- explore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$.
- Fractions, decimals and percentages including equivalences in different contexts.
- solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts
- solve problems involving the calculation of percentages [for example, of measures, and such as 15% of 360] and the use of percentages for comparison
- solve problems involving similar shapes where the scale factor is known or can be found
- solve problems involving unequal sharing and grouping using knowledge of fractions and multiples.
- Algebra including formulae, linear number sequences, combinations of variables
- Measurement including solving problems with conversion of units, decimal notation, area & volume
- Statistics including pie charts, line charts and calculating the mean

Wandsworth LA Calculation Policy for division: Year 1

Mental Calculations


Solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.

(Pupils) make connections between arrays, number patterns, and counting in twos, fives and tens.




Count on or back in 2s, 5s and 10s and look for patterns.

Songs are useful for counting in steps.





Written Calculations

Pictorial jottings to support the calculation of $8 \div 4$



Children should experiment with the concepts of sharing and grouping in a number of contexts. Initially they use their own recording—moving towards fluent, symbolic notation in Year 2. Conceptual understanding and recording should be continuously supported by the use of **arrays** as a default model, as well as other representations, (see below.)



The relationship between multiplication and division must be continually considered.

Representations to support mental and written calculations.


Use a range of concrete and pictorial representations, including:

- Manipulatives to support children's own recording; and understanding of *sharing* and the link with multiplication.

"How can we share 6 cakes between 2 people?"



Here, the cakes are placed in an array formation.




How many 2 tiles can we fit on the 6 tile?




Moving from concrete to pictorial, counters represent the cakes to reinforce the relationship between multiplication and division.

- Manipulatives, and real-life objects to support children's own recording; and understanding of *grouping* and the link with multiplication.




Bead strings



$15 \div 2$ using grouping model

Coat hangers and socks support calculation of $8 \div 2$

"Double 3 is 6. Half of 6 is 3."



- Dominoes and dice to reinforce concepts of doubling and halving.

Fractions









Recognise, find and name a half as one of two equal parts of an object, shape or quantity
Recognise, find and name a quarter as one of four equal parts of an object, shape or quantity. (See Representations above.)

Links from other strands

They practise counting as reciting numbers and counting as enumerating objects, and counting in twos, fives and tens from different multiples to develop their recognition of patterns in the number system (for example, odd and even numbers). (PLACE VALUE). Pupils are taught half and quarter as 'fractions of' by solving problems using shapes, objects and quantities. (FRACTIONS)

Wandsworth LA Calculation Policy for division: Year 2

Division and multiplication concepts must be linked continuously.

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Calculations</p>	<p style="text-align: center; background-color: #f4a460; padding: 5px;">The relationship between multiplication and division must be continually considered.</p> <ul style="list-style-type: none"> Recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers . Calculate mathematical statements for multiplication and division within the multiplication tables and write them using the
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Calculations</p>	<p style="text-align: center; background-color: #d8bfd8; padding: 5px;">“5, one time”, “5, two times” and so on.</p> <ul style="list-style-type: none"> Show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot Solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts. (<i>See below.</i>) <p style="text-align: center;">“There are 26 straws. $\frac{1}{2}$ of the straws is equal to 13 straws.”</p> <div style="display: flex; align-items: center; justify-content: center;">  <div style="margin-left: 20px;"> $\frac{1}{2}$ of 26 = 13 $26 \div 2 = 13$ </div> <div style="background-color: #f4a460; padding: 5px; margin-left: 20px;"> Pupils decode a problem first, represent it using manipulatives and jottings; and finally record it symbolically. </div> </div>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Representations to support mental and written calculations.</p>	<p>Use a range of concrete and pictorial representations, including:</p> <ul style="list-style-type: none"> Arrays <div style="display: flex; align-items: center; margin-top: 10px;">  <div style="margin-left: 10px;"> $7 \times 2 = 14$ $14 \div 2 = 7$ </div>  <div style="margin-left: 10px;"> $2 \times 7 = 14$ $14 \div 7 = 2$ </div> <div style="border: 1px solid purple; border-radius: 50%; padding: 5px; margin-left: 20px; color: purple;"> Is 14 an odd number? How do you know? </div> </div> Number lines to support grouping <div style="margin-top: 10px;">  <div style="margin-left: 10px;"> $10p + 10p + 10p + 10p + 10p = 50p$ $10p \times 5 = 50p$ 5 hops of 10 </div>  </div> Representations to support multiplicative reasoning: <div style="margin-top: 10px; text-align: center;">  <div style="border: 1px solid purple; border-radius: 15px; padding: 10px; display: inline-block; background-color: #d8bfd8;"> Using Dienes: “If $40 \div 10 = 4$ and $30 \div 10 = 3$, what do you think $70 \div 10$ would be? Why?” </div>  </div> <div style="text-align: right; margin-top: 20px;">  <div style="border: 1px solid gray; border-radius: 50%; padding: 10px; display: inline-block; background-color: #d3d3d3;"> “How many groups of 5 minutes have passed when the minute hand reaches twenty past?” </div> </div>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Fractions</p>	<p>Recognise, find, name and write fractions $\frac{1}{2}$, $\frac{1}{4}$, $\frac{3}{4}$, $\frac{2}{4}$ of a length, shape, set of objects or quantity Write simple fractions for example, $\frac{1}{2}$ of 6 = 3 and recognise the equivalence of $\frac{1}{2}$ and $\frac{2}{4}$.</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Links from other strands</p>	<ul style="list-style-type: none"> Count in steps of 2, 3, and 5 from 0, and in tens from any number, forward and backward. Recognise the place value of each digit in a two-digit number (tens, ones) (PLACE VALUE). Tell and write the time to five minutes, including quarter past/to the hour and draw the hands on a clock face to show these times, (MEASURES).

Wandsworth LA Calculation Policy for division: Year 3

Mental Calculations

Pupils should be taught to recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables.

Pupils continue to practise their mental recall of multiplication tables... in order to improve fluency.


Pupils develop efficient mental methods, for example, using commutativity and associativity (e.g., $4 \times 12 \times 5 = 4 \times 5 \times 12 = 20 \times 12 = 240$) and multiplication and division facts to derive related facts.

$$36 \div 3 = 12$$

$$30 \quad 6$$

$$30 \div 3 = 10 \quad 6 \div 3 = 2$$

$$+ \quad \quad \quad +$$




"4 x 3 is 12, so 12 ÷ 3 = 4."

Written Calculations

Pupils should be taught to:

- write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods.
- solve problems, including missing number problems, involving multiplication and division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects, (see Links from other strands, below.)


"I know $6 \div 3 = 2$, so $60 \div 3 = 20$."
"I know $12 \div 3 = 4$, so $120 \div 3 = 40$."





New written methods can be modelled alongside mental or informal methods to ensure understanding.

Representations to support mental and written calculations.

Use a range of concrete and pictorial resources, including:




63 ÷ 3 equals three groups of 2 tens and a one.




How could I calculate $72 \div 3$?

Informal exploration with manipulatives supports the progression to formal written methods—which is continued in Year 4.




Fractions


- Recognise that tenths arise from dividing an object into 10 equal parts and in dividing one-digit numbers or quantities by 10.
- Recognise and show, using diagrams, equivalent fractions with small denominators.
- Recognise, find and write fractions of a discrete set of objects: unit fractions and non-unit fractions with small denominators.








Links from other strands



Pupils solve simple problems in contexts, including measuring and scaling contexts, (e.g., four times as high etc.) and correspondence problems.



Wandsworth LA Calculation Policy for division: Year 4

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Informal methods to support mental Calculations</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> recall multiplication and division facts for multiplication tables up to 12×12 use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers recognise and use factor pairs and commutativity in mental calculations <p>Using known facts and blank arrays to calculate $176 \div 8$.</p>  <p style="text-align: right;">I know that $6 \div 3 = 2$, so $600 \div 3 = 200$.</p> <p><i>Pupils practise mental methods and extend this to three-digit numbers to derive facts.</i></p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Written Calculations</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> multiply two-digit and three-digit numbers by a one-digit number using formal written layout solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects. <p><i>Pupils practise to become fluent in the formal written method of short multiplication and short division with exact answers .</i></p> <p style="text-align: center; background-color: orange; color: white; padding: 5px;">Revert to expanded methods if children find formal calculation method difficult</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Representations to support mental and written calculations.</p>	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px;"> $693 \div 3$  </div> <div style="border: 1px solid orange; padding: 5px;"> <p>By working through larger number calculations with manipulatives, children gain experience of exchange (re-partitioning) within division algorithms.</p> </div> <div style="border: 1px solid black; padding: 5px;"> $492 \div 4$  </div> </div> <p>Children can work in pairs: child A constructs the array (dividing manipulatives into 3 rows), child B checks it and records this in a formal, short division format.</p> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>By the end of Year 4, children need to have encountered remainders in a number of contexts. Pupils can be introduced to remainders using known facts: e.g. $13 \div 4$; and then progress to larger numbers. (See below).</p> </div> <div style="margin-top: 10px;"> <p>$200 \div 6 = 33 \text{ r.} 2$</p>  <p style="text-align: right; background-color: orange; color: white; padding: 2px;">Money can be used instead of place value counters.</p> </div>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Fractions</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> recognise and show, using diagrams, families of common equivalent fractions recognise that hundredths arise when dividing an object by one hundred and dividing tenths by ten. solve problems involving increasingly harder fractions to calculate quantities, and fractions to divide quantities, including non-unit fractions where the answer is a whole number find the effect of dividing a one- or two-digit number by 10 and 100, identifying the value of the digits in the answer as ones, tenths and hundredths 
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Links from other strands</p>	<ul style="list-style-type: none"> Convert between different units of measure [for example, kilometre to metre; hour to minute] Estimate, compare and calculate different measures, including money in pounds and pence (MEASURES) Recognise that hundredths arise when dividing an object by one hundred and dividing tenths by ten. (FRACTIONS)

Wandsworth LA Calculation Policy for division: Year 5


Informal methods to support mental Calculations

Pupils should be taught to:

- multiply and divide whole numbers and those involving decimals by 10, 100 and 1000
- multiply and divide numbers mentally drawing upon known facts

identify multiples and factors, including finding all factor pairs of a number, and common factors of two numbers .

If $42 \div 6 = 7$
 $\div 10$ $\div 10$
 Then $4.2 \div 6 = 0.7$



Factorising
 $480 \div 15$
 $= 480 \div 5 \div 3$

"I know that the answer to $138 \div 6$ will be close to 20, because $2 \times 6 = 12$, so $20 \times 6 = 120$."

Pupils apply all the multiplication tables and related division facts frequently and use them confidently .

Written Calculations

Pupils practise and extend their use of the formal written methods of short multiplication and short division.

- Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context.

$98 \div 7$ becomes

$$\begin{array}{r} 14 \\ 7 \overline{) 98} \\ \underline{7} \\ 28 \\ \underline{28} \\ 0 \end{array}$$

Answer: 14

$432 \div 5$ becomes

$$\begin{array}{r} 86 \text{ r } 2 \\ 5 \overline{) 432} \\ \underline{40} \\ 32 \\ \underline{30} \\ 2 \end{array}$$

Answer: 86 remainder 2

$496 \div 11$ becomes

$$\begin{array}{r} 45 \text{ r } 1 \\ 11 \overline{) 496} \\ \underline{44} \\ 56 \\ \underline{55} \\ 1 \end{array}$$

Answer: $45 \frac{1}{11}$


- Pupils interpret non-integer answers to division by expressing results in different ways according to the context, including with remainders, as fractions, as decimals or by rounding. (See Representations below.)

Revert to expanded methods if children find formal calculation method difficult

Representations to support mental and written calculations.



Can we divide this 100 token into 6 equal groups?, then we must exchange it for ten 10 tokens. Can we divide into 6 groups now?

Short division with exchange.



Practical experience with manipulatives is vital for children to talk through the language of division e.g. exchange, remainder; and to embed conceptual understanding.

Understanding remainders.



2 out of a whole group of 4 = $\frac{2}{4} = \frac{1}{2} = 0.5$

$98 \div 4 = \frac{98}{4} = 24 \text{ r } 2 = 24 \frac{1}{2} = 24.5$

What is the same? What's different about the ways that these remainders are expressed?

Fractions

- Recognise mixed numbers and improper fractions and convert from one form to the other and write mathematical statements > 1 as a mixed number .
- Pupils connect equivalent fractions > 1 that simplify to integers with division and other fractions > 1 to division with remainders.
- Pupils connect multiplication by a fraction to using fractions as operators (fractions of), and to division.
- Pupils should make connections between percentages, fractions and decimals

Links from other strands

- Pupils use all four operations in problems involving time and money, including conversions.using decimal notation, including scaling.
- calculate and compare the area of rectangles (including squares). (MEASURES)

- establish whether a number up to 100 is prime and recall prime numbers up to 19
- recognise and use square numbers and cube numbers, and the notation for squared (2) and cubed (3)
- solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes and including scaling by simple fractions and problems involving simple rates.
- solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign. (NUMBER—MULTIPLICATION AND DIVISION)

Wandsworth LA Calculation Policy for division: Year 6

Informal methods to support mental Calculations

Pupils should be taught to:


- perform mental calculations, including with mixed operations and large numbers.
- use their knowledge of the order of operations to carry out calculations involving the four operations.
- identify common factors, common multiples and prime numbers.

Spider diagrams




I know that 366 will divide by 6 because it has 2 and 3 as factors

- Solve problems involving addition, subtraction, multiplication and division
- use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy.




Written Calculations

- divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context
- divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context.
- Pupils practise division for larger numbers, using the formal written methods of short and long division.



Revert to expanded methods if children find formal calculation method difficult




Representations to support mental and written calculations.




To introduce the long division model, use a calculation which can be represented both with manipulatives and by a short division algorithm. Use questioning and discussion to compare written methods.

$£1362.72 \div 40 = ?$

$£1362.72 \div 4 = £340.68$
[½ and ½ again.]
 $£340.68 \div 10 = £34.068$
which rounds to $£34.07$.





What's the same? What's different?




Fractions

- use common factors to simplify fractions,
- compare and order fractions, including fractions > 1
- add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions
- divide proper fractions by whole numbers [for example, $1/3 \div 2 = 1/6$.]
- associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375.]



- Pupils use their understanding of the relationship between unit fractions and division to work backwards. use written division methods in cases where the answer has up to 2 dp.

2/5 of a number is 20.
What is the number?



Links from other strands

- Pupils are introduced to the division of decimal numbers by one-digit whole number, initially, in practical contexts involving measures and money. They recognise division as the inverse of multiplication.
- Pupils also develop their skills of rounding and estimating. This includes rounding answers to a specified degree of accuracy and checking the reasonableness of their answers. (FRACTIONS)
- solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate.
- use, read, write and convert between standard units....using decimal notation to up to 3d.p. (MEASURES)
- interpret and construct pie charts and line graphs and use these to solve problems
- calculate and interpret the mean as an average. (STATISTICS)
- solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts (RATIO AND PROPORTION)

"8 is the best estimate for $72.34 \div 8.91$; because the numbers in the algorithm can be rounded to $72 \div 9$."

Calculation Policy References

As much as possible, the supporting images used throughout this document have been created by the Wandsworth Curriculum Development Group. Where this has not been possible, the images are referenced as follows:

Addition	<ul style="list-style-type: none"> • Number track www.sparklebox.co.uk (Year 1) • Straw bundles image www.idoradesign.blogspot.com (Years 1 and 2) • Addition with place value counters http://mathsframe.co.uk/en/resources/resource/241/Expanded Addition using Place Value Counters (Year 5)
Subtraction	<ul style="list-style-type: none"> • Interactive hundred square http://www.crickweb.co.uk/ks1numeracy.html (Year 2, subtraction) • http://langfordmath.com/ECEMath/BasicFacts/CuisenaireAddSubText.html: http://mathsframe.co.uk/en/resources/resource/242/Column Subtraction using Place Value Counters (Year 5) • http://mathsframe.co.uk/en/resources/resource/24/timetable (Year 5, Links with other strands)
Multiplication	<ul style="list-style-type: none"> • Mumsnet.com • Socks image www.boden.co.uk (Year 1) • ITP Multiplication array http://www.teachfind.com/national-strategies/mathematics-itp-multiplication-array (Year 3) • Moving digits ITP http://www.taw.org.uk/lic/itp/mov_digits.html (Years 4 and 5) • Function machine ITP http://mathsframe.co.uk/en/resources/resource/70/itp_function_machine (Year 6)
Division	<ul style="list-style-type: none"> • Socks image http://www.comparestoreprices.co.uk/dolls/zapf-creation-baby-annabell-2-pairs-of-socks-759950-asp (year 1) • Counting by 2 song http://www.youtube.com/watch?v=hae10bsW_CM (Year 1) • Domino doubles www.yescoloring.com (Year 1) • Division triangles http://www.topmarks.co.uk/Flash.aspx?f=triangularcardsv4 (Year 2) • Clock face www.wyzant.com (Year 2) • http://www.cimt.plymouth.ac.uk/projects/mepres/primary/pb3b_2.pdf (Links from other strands year 3) • Fractions http://mathsframe.co.uk/en/resources/resource/144/fractions_of_numbers (Year 3) • Arrays, Multiplication and Division article by Jennie Pennant http://nrich.maths.org/8773 (Year 4) • Fractions ITP http://www.taw.org.uk/lic/itp/fractions.html (Year 4) • Adding and Subtracting Fractions www.mathsframe.co.uk (Year 6, fractions) • Factors www.teacherled.com (Year 6)
Additional Materials used throughout:	<ul style="list-style-type: none"> • <u>DfE Models and images for understanding and manipulating numbers in Years 1 to 3</u> (2003) • <u>DCSF Overcoming Barriers in Mathematics</u> (2007) Crown Copyright; materials from CD-Roms • NCETM, images to support the teaching of the 4 operations from PD Lead Support Programme training • NCETM <u>Calculation Guidance for Primary Schools</u> (2015)